


Exposed Ceiling Joists. Connect all wiring for housing before ceiling installation.



Step C/D- Secure panel collar to housing by screwing (clockwise) into housing. Bottom of collar is installed before ceiling is put in. Collar cannot be below ceiling as this will adversely effect panel ceiling installation.



Final step is to make sure trim is locked using either ball plungers or j-hook



Step A- Adjustable Mounting Rails anchor housing to ceiling joists with screws. Housing can be adjusted vertically.




Step E- Install base ceiling and cutout round opening in ceiling to fit around collar diameter. Step F- Start installing panel ceiling over existing base ceiling. Cutout round area for panels to fit and conceal the panel collar.

8" (3 MM)

MAX

trims available

1016- Round Panel



Step B- After housing is secured, install panel collar into housing.




Step G- Ceiling cutout in panel ceiling needs to cover surface of collar. Panels cannot be more than 1/8" thick and needs to fit below collar rim (See Detail above.).

Instruction sheet for Panel (Wood, Metal) Install 1000, 1001, 1016, 1250



ROUND PANEL TRIM CEILING INSTALLATION for 1000 / 1001 / 1016 / 1250





Patent Pending. These specifications subject to change without notice.

www.specialtylightingindustries.com

1306 Doris Avenue, Ocean, NJ 07712 USA 800.462.7812 732.517.0800 FAX:732.517.0971 06/17